



ELSEVIER

Annals of Pure and Applied Logic 80 (1996) 293–298

---

---

**ANNALS OF  
PURE AND  
APPLIED LOGIC**

---

---

## Master Index to Volumes 71–80

- Abrahamson, K.A., Downey, R.G. and Fellows, M.R.,**  
Fixed-parameter tractability and completeness IV:  
On completeness for W[P] and PSPACE analogues 73 (1995) 235–276
- Apter, A.W. and Magidor, M.,** Instances of dependent choice  
and the measurability of  $\aleph_{\omega+1}$  74 (1995) 203–219
- Archangelsky, D.A., Dekhtyar, M.I. and Taitlin, M.A.,**  
Linear logic for nets with bounded resources 78 (1996) 3– 28
- Arslanov, M.A., Lempp, S. and Shore, R.A.,** Interpolating  
 $d$ -r.e. and REA degrees between r.e. degrees 78 (1996) 29– 56
- Artëmov, S. and Krupski, V.,** Data storage interpretation  
of labeled modal logic 78 (1996) 57– 71
- Ash, C.J. and Knight, J.F.,** Possible degrees in recursive  
copies 75 (1995) 215–221
- Baaz, M. and Zach, R.,** Generalizing theorems in real closed  
fields 75 (1995) 3– 23
- Baldwin, J.T. and Niandong Shi,** Stable generic structures 79 (1996) 1– 35
- Banach, R.,** Sequent reconstruction in LLM–A swepline  
proof 73 (1995) 277–295
- Barbanera, F. and Berardi, S.,** A strong normalization result  
for classical logic 76 (1995) 99–116
- Barendregt, H.,** Enumerators of lambda terms are reducing  
constructively 73 (1995) 3– 9
- Barendsen, E. and Bezem, M.,** Polymorphic extensions of  
simple type structures. With an application to a bar  
recursive minimization 79 (1996) 221–280
- Barker, E.J.,** Back and forth relations for reduced abelian  
 $p$ -groups 75 (1995) 223–249
- Baudisch, A.,** Another stable group 80 (1996) 109–138
- Beame, P. and Pitassi, T.,** An exponential separation  
between the parity principle and the pigeonhole principle 80 (1996) 195–228

- Beklemishev, L.**, Iterated local reflection versus iterated consistency 75 (1995) 25–48
- Berardi, S.**, see **Barbanera, F.** 76 (1995) 99–116
- Berarducci, A.** and **D'Aquino, P.**,  $\Delta_0$ -complexity of the relation  $y = \prod_{i \leq n} F(i)$  75 (1995) 49–56
- Bergstra, J.A.** and **Tucker, J.V.**, The data type variety of stack algebras 73 (1995) 11–36
- Bezem, M.**, see **Barendsen, E.** 79 (1996) 221–280
- Bierman, G.M.**, A note on full intuitionistic linear logic 79 (1996) 281–287
- Blute, R.F.** and **Scott, P.J.**, Linear Läuchli semantics 77 (1996) 101–142
- Brendle, J.**, Combinatorial properties of classical forcing notions 73 (1995) 143–170
- Brendle, J.**, **Hjorth, G.** and **Spinas, O.**, Regularity properties for dominating projective sets 72 (1995) 291–307
- Buchholz, W.**, Proof-theoretic analysis of termination proofs 75 (1995) 57–65
- Buss, S.R.**, Relating the bounded arithmetic and polynomial time hierarchies 75 (1995) 67–77
- Buss, S.R.** and **Ignjatović, A.**, Unprovability of consistency statements in fragments of bounded arithmetic 74 (1995) 221–244
- Chen, Z.** and **Homer, S.**, The bounded injury priority method and the learnability of unions of rectangles 77 (1996) 143–168
- Cornaros, Ch.**, On Grzegorzczuk induction 74 (1995) 1–21
- Courcelle, B.**, The monadic second-order logic of graphs VIII: Orientations 72 (1995) 103–143
- Cummings, J.** and **Shelah, S.**, Cardinal invariants above the continuum 75 (1995) 251–268
- Cunningham, D.W.**, The real core model and its scales 72 (1995) 213–289
- D'Aquino, P.**, Pell equations and exponentiation in fragments of arithmetic 77 (1996) 1–34
- D'Aquino, P.**, see **Berarducci, A.** 75 (1995) 49–56
- Dabrowski, A.**, **Moss, L.S.** and **Parikh, R.**, Topological reasoning and the logic of knowledge 78 (1996) 73–110
- Dekhtyar, M.I.**, see **Archangelsky, D.A.** 78 (1996) 3–28
- Downey, R.G.**, see **Abrahamson, K.A.** 73 (1995) 235–276
- Downey, R.** and **Harrington, L.**, There is no fat orbit 80 (1996) 277–289
- Džamonja, M.** and **Shelah, S.**, Saturated filters at successors of singulars, weak reflection and yet another weak club principle 79 (1996) 289–316
- Ehrhard, T.**, Projecting sequential algorithms on strongly stable functions 77 (1996) 201–244
- Eiter, T.**, **Gottlob, G.** and **Gurevich, Y.**, Normal forms for second-order logic over finite structures, and classification of NP optimization problems 78 (1996) 111–125

- Eklof, P.C. and Herzog, I.**, Model theory of modules over a serial ring 72 (1995) 145–176
- Feferman, S. and Jäger, G.**, Systems of explicit mathematics with non-constructive  $\mu$ -operator. Part II 79 (1996) 37– 52
- Fellows, M.R.**, see **Abrahamson, K.A.** 73 (1995) 235–276
- Ferrari, M. and Miglioli, P.**, A method to single out maximal propositional logics with the disjunction property I 76 (1995) 1– 46
- Ferrari, M. and Miglioli, P.**, A method to single out maximal propositional logics with the disjunction property II 76 (1995) 117–168
- Ferreira, F.**, What are the  $\forall\Sigma_1^b$ -consequences of  $T_2^1$  and  $T_2^2$ ? 75 (1995) 79– 88
- Foreman, M. and Magidor, M.**, Large cardinals and definable counterexamples to the continuum hypothesis 76 (1995) 47– 97
- Forti, M. and Honsell, F.**, Choice principles in hyperuniverses 77 (1996) 35– 52
- Friedman, H. and Sheard, M.**, Elementary descent recursion and proof theory 71 (1995) 1– 45
- Fuchino, S., Koppelberg, S. and Shelah, S.**, Partial orderings with the weak Freese–Nation property 80 (1996) 35– 54
- Ge, X. and Nerode, A.**, Effective content of the calculus of variations I: Semi-continuity and the chattering lemma 78 (1996) 127–146
- Ghilardi, S.**, An algebraic theory of normal forms 71 (1995) 189–245
- Gitik, M.**, Blowing up the power of a singular cardinal 80 (1996) 17– 33
- Glaß, T.**, Understanding uniformity in Feferman's explicit mathematics 75 (1995) 89–106
- Gottlob, G.**, see **Eiter, T.** 78 (1996) 111–125
- Grädel, E. and McColm, G.L.**, Hierarchies in transitive closure logic, stratified Datalog and infinitary logic 77 (1996) 169–199
- Gurevich, Y.**, see **Eiter, T.** 78 (1996) 111–125
- Harrington, L.**, see **Downey, R.** 80 (1996) 277–289
- Hatzikiriakou, K.**,  $WKL_0$  and Stone's separation theorem for convex sets 77 (1996) 245–249
- Hauser, K.**, The consistency strength of projective absoluteness 74 (1995) 245–295
- Herzog, I.**, see **Eklof, P.C.** 72 (1995) 145–176
- Hjorth, G.**,  $\Pi_2^1$  Wadge degrees 77 (1996) 53– 74
- Hjorth, G.**, see **Brendle, J.** 72 (1995) 291–307
- Homer, S.**, see **Chen, Z.** 77 (1996) 143–168
- Honsell, F.**, see **Forti, M.** 77 (1996) 35– 52
- Huuskonen, T.**, Observations about Scott and Karp trees 76 (1995) 201–230
- Ignjatović, A.**, see **Buss, S.R.** 74 (1995) 221–244
- Jäger, G. and Strahm, T.**, Totality in applicative theories 74 (1995) 105–120
- Jäger, G.**, see **Feferman, S.** 79 (1996) 37– 52



- Jahn, M.A.**,  $\Sigma$ -Completeness of index sets arising from the recursively enumerable Turing degrees 79 (1996) 109–137
- Jahn, M.A.**,  $\Sigma$ -completeness of index sets arising from the lattice of recursively enumerable sets 80 (1996) 55– 67
- Kanovich, M.I.**, Petri nets, Horn programs, Linear Logic and vector games 75 (1995) 107–135
- Kanovich, M.I.**, Linear logic automata 78 (1996) 147–188
- Knight, J.F.**, see **Ash, C.J.** 75 (1995) 215–221
- Kolaitis, Ph.G.** and **Väänänen, J.A.**, Generalized quantifiers and pebble games on finite structures 74 (1995) 23– 75
- Koppelberg, S.**, see **Fuchino, S.** 80 (1996) 35– 54
- Kopylov, A.P.**, On NP-completeness in Linear Logic 75 (1995) 137–152
- Koszmider, P.**, Semimorasses and nonreflection at singular cardinals 72 (1995) 1– 23
- Krupski, V.**, see **Artëmov, S.** 78 (1996) 57– 71
- Lempp, S.** and **Sui Yuefei**, An extended Lachlan Splitting Theorem 79 (1996) 53– 59
- Lempp, S.**, see **Arslanov, M.A.** 78 (1996) 29– 56
- Leonhardi, S.D.**, Nonbounding and Slaman triples 79 (1996) 139–163
- Levinski, J.-P.**, Filters and large cardinals 72 (1995) 177–212
- Macpherson, D.** and **Steinhorn, C.**, On variants of  $\omega$ -minimality 79 (1996) 165–209
- Magidor, M.**, see **Apter, A.W.** 74 (1995) 203–219
- Magidor, M.**, see **Foreman, M.** 76 (1995) 47– 97
- Makkai, M.** and **Reyes, G. E.**, Completeness results for intuitionistic and modal logic in a categorical setting 72 (1995) 25–101
- Makowsky, J.A.** and **Pnueli, Y.B.**, Arity and alternation in second-order logic 78 (1996) 189–202
- McColm, G.L.**, see **Grädel, E.** 77 (1996) 169–199
- Meyer, A.R.**, see **Seiferas, J.I.** 73 (1995) 171–190
- Michaux, C.** and **Villemaire, R.**, Presburger arithmetic and recognizability of sets of natural numbers by automata: New proofs of Cobham's and Semenov's theorems 77 (1996) 251–277
- Miglioli, P.**, see **Ferrari, M.** 76 (1995) 1– 46
- Miglioli, P.**, see **Ferrari, M.** 76 (1995) 117–168
- Moerdijk, I.**, A model for intuitionistic non-standard arithmetic 73 (1995) 37– 51
- Morgan, C.**, Morasses, square and forcing axioms 80 (1996) 139–163
- Moss, L.S.**, Power set recursion 71 (1995) 247–306
- Moss, L.S.**, see **Dabrowski, A.** 78 (1996) 73–110
- Nerode, A.**, see **Ge, X.** 78 (1996) 127–146
- Nerode, A.**, **Remmel, J.B.** and **Yakhnis, A.**, McNaughton games and extracting strategies for concurrent programs 78 (1996) 203–242
- Newelski, L.**, A model and its subset: the uncountable case 71 (1995) 107–129

- Niandong Shi**, see **Baldwin, J.T.** 79 (1996) 1– 35
- Nies, A. and Shore, R.A.**, Interpreting true arithmetic in the theory of the r.e. truth table degrees 75 (1995) 269–311
- Niggl, K.-H.**, Towards the computational complexity of  $\mathcal{PR}^\omega$ -terms 75 (1995) 153–178
- Palmgren, E.**, A constructive approach to nonstandard analysis 73 (1995) 297–325
- Parikh, R.**, see **Dabrowski, A.** 78 (1996) 73–110
- Pavlović, D.**, On completeness and cocompleteness in and around small categories 74 (1995) 121–152
- Pentus, M.**, Models for the Lambek calculus 75 (1995) 179–213
- Pillay, A.**, Definable sets in generic complex tori 77 (1996) 75– 80
- Pitassi, T.**, see **Beame, P.** 80 (1996) 195–228
- Pnueli, Y.B.**, see **Makowsky, J.A.** 78 (1996) 189–242
- Remmel, J.B.**, see **Nerode, A.** 78 (1996) 203–242
- Reyes, G.E.**, see **Makkai, M.** 72 (1995) 25–101
- Schimmerling, E.**, Combinatorial principles in the core model for one Woodin cardinal 74 (1995) 153–201
- Schwentick, T.**, On winning Ehrenfeucht games and monodic NP 79 (1996) 61– 92
- Scott, P.J.**, see **Blute, R.F.** 77 (1996) 101–142
- Seiferas, J.I. and Meyer, A.R.**, Characterization of realizable space complexities 73 (1995) 171–190
- Selivanov, V.**, On recursively enumerable structures 78 (1996) 243–258
- Sheard, M.**, see **Friedman, H.** 71 (1995) 1– 45
- Shelah, S.**, see **Cummings, J.** 75 (1995) 251–268
- Shelah, S.**, see **Džamonja, M.** 79 (1996) 289–316
- Shelah, S.**, see **Fuchino, S.** 80 (1996) 35– 54
- Shelah, S.**, Toward classifying unstable theories 80 (1996) 229–255
- Shelah, S.**, Was Sierpiński right? III, Can continuum-c.c. times c.c.c. be continuum-c.c.? 78 (1996) 259–269
- Shlapentokh, A.**, Rational separability over a global field 79 (1996) 93–108
- Shore, R.A.**, see **Nies, A.** 75 (1995) 269–311
- Shore, R.A.**, see **Arslanov, M.A.** 78 (1996) 29– 56
- Sommer, R.**, Transfinite induction within Peano arithmetic 76 (1995) 231–289
- Spinas, O.**, see **Brendle, J.** 72 (1995) 291–307
- Spreen, D.**, Effective inseparability in a topological setting 80 (1996) 257–275
- Steel, J.R.**, Projectively well-ordered inner models 74 (1995) 77–104
- Steinhorn, C.**, see **Macpherson, D.** 79 (1996) 165–209
- Strahm, T.**, see **Jäger, G.** 74 (1995) 105–120
- Sui Yuefei**, see **Lempp, S.** 79 (1996) 53– 59
- Taitslin, M.A.**, see **Archangelsky, D.A.** 78 (1996) 3– 28

- Takeuti, G.**, Separations of theories in weak bounded arithmetic 71 (1995) 47–67
- Talayco, D.E.**, Applications of cohomology to set theory: Hausdorff gaps 71 (1995) 69–106
- Talayco, D.E.**, Applications of cohomology to set theory II: Todorćević trees 77 (1996) 279–299
- Tent, K.**, Classifying totality categorical groups (and others) 77 (1996) 81–100
- Terlouw, J.**, Strong normalization in type systems: a model theoretic approach 73 (1995) 53–78
- Thomas, S.**, Reducts of random hypergraphs 80 (1996) 165–193
- Troelstra, A.S.**, Natural deduction for intuitionistic linear logic 73 (1995) 79–108
- Truss, J.K.**, The structure of amorphous sets 73 (1995) 191–233
- Tucker, J.V.**, see **Bergstra, J.A.** 73 (1995) 11–36
- Väänänen, J.A.**, see **Kolaitis, Ph.G.** 74 (1995) 23–75
- Villemaire, R.**, see **Michaux, C.** 77 (1996) 251–277
- Visser, A.**, A course on bimodal provability logic 73 (1995) 109–142
- von Plato, J.**, The axioms of constructive geometry 76 (1995) 169–200
- Welch, P.D.**, Determinacy in the difference hierarchy of co-analytic sets 80 (1996) 69–108
- Yakhnis, A.**, see **Nerode, A.** 78 (1996) 203–242
- Yamakami, T.**, Polynomial games and determinacy 80 (1996) 1–26
- Yu, X.**, A study of singular points and supports of measures in reverse mathematics 79 (1996) 211–219
- Zach, R.**, see **Baaz, M.** 75 (1995) 3–23
- Zapletal, J.**, More on the cut and choose game 76 (1995) 291–301
- Zawadowski, M.W.**, Descent and duality 71 (1995) 131–188